


The logo features a stylized 'I' in grey, followed by a bright orange lightning bolt that also forms the letter 'Z'. To the right of this symbol is the word 'enru' in a grey, lowercase, sans-serif font. A small 'TM' trademark symbol is positioned at the top right of the 'u'.

IzenruTM

Camera Pole Series

CEILING POLE (ADJUSTABLE)



Model	Min Length	Max Length	Mounting Plate
CP33	300mm	500mm	200mm x 200mm
CP55	700mm	900mm	200mm x 200mm
CP88	1000mm	1500mm	200mm x 200mm
CP1010	1400mm	1900mm	200mm x 200mm
CP1212	1800mm	2300mm	200mm x 200mm
CP1515	2400mm	2900mm	200mm x 200mm

* It comes with variety of colours selection

White




Black



Grey



Hot Dipped Galvanized



STAND POLE

Pole Shape

(S)

(R)

Height

Mounting Base

Benru Camera Pole 50mm x 50mm

SP50-10	1000mm	200mm x 200mm
SP50-12	1200mm	200mm x 200mm
SP50-15	1500mm	200mm x 200mm

Benru Camera Pole 75mm x 75mm

SP75-10	1000mm	200mm x 200mm
SP75-12	1200mm	200mm x 200mm
SP75-15	1500mm	200mm x 200mm

Benru Camera Pole 100mm x 100mm

SP100-10	1000mm	300mm x 300mm
SP100-12	1200mm	300mm x 300mm
SP100-15	1500mm	300mm x 300mm
SP100-20	2000mm	300mm x 300mm
SP100-22	2200mm	300mm x 300mm
SP100-25	2500mm	300mm x 300mm
SP100-28	2800mm	300mm x 300mm
SP100-30	3000mm	300mm x 300mm



* It comes with variety of colours selection

White



Black



Grey



Hot Dipped Galvanized



CARD READER PEDESTALS

These pedestals are typically used to install card readers or intercoms at drive-up and pedestrian access points. Made of 2" x 4" rectangular steel tubing with a 8" x 8" base plate. A steel base plate cover is provided to conceal the mounting hardware. Housings and adapters are available for these pedestals to accommodate most access control devices such as card readers and intercoms.

Specifications



Height	44.00"
Finish	Black Wrinkle TGIC Outdoor Polyester Powder Coat
Face Plate	8" x 8", 8-Hole Pattern, 136" CRS
Base Plate	8" x 8", Holes on 3.25" and 5.00" Centers, .25" CRS, Includes Cover Plate
Tube	3" x 3" Square,.120" Wall(11-Gauge)
Neck	12.00" Reach(On Vertical Center), Two 45" Cuts & Welded
Material	Heavy Gauge Steel
Weight	28lbs.




* It comes with variety of colours selection

White ☐

Black ●

Grey

Hot Dipped Galvanized ☐



STAND POLE WITH JUNCTION BOX

Model	Height	Base Plate	Mounting Base
SPJB100-15	1500mm	300mm x 80mm	300mm x 300mm
SPJB100-20	2000mm	300mm x 80mm	300mm x 300mm
SPJB100-22	2200mm	300mm x 80mm	300mm x 300mm
SPJB100-25	2500mm	500mm x 80mm	300mm x 300mm
SPJB100-28	2800mm	500mm x 80mm	300mm x 300mm
SPJB100-30	3000mm	500mm x 80mm	300mm x 300mm


* It comes with variety of colours selection

White ●


Black

Grey

Hot Dipped Galvanized



LONG RANGE POLE



Model	Section A	Section B	Section C	Total Height	Mounting Base
LRP315-50	300	1500	50mm Diameter	1800mm	300mm x 300mm
LRP320-50	300	2000	50mm Diameter	2300mm	300mm x 300mm
LRP325-50	300	2500	50mm Diameter	2800mm	300mm x 300mm
LRP515-50	500	1500	50mm Diameter	2000mm	300mm x 300mm
LRP520-50	500	2000	50mm Diameter	2500mm	300mm x 300mm
LRP525-50	500	2500	50mm Diameter	3000mm	300mm x 300mm
LRP315-75	300	1500	75mm Diameter	1800mm	300mm x 300mm
LRP320-75	300	2000	75mm Diameter	2300mm	300mm x 300mm
LRP325-75	300	2500	75mm Diameter	2800mm	300mm x 300mm
LRP515-75	500	1500	75mm Diameter	2000mm	300mm x 300mm
LRP520-75	500	2000	75mm Diameter	2500mm	300mm x 300mm
LRP525-75	500	2500	75mm Diameter	3000mm	300mm x 300mm

* It comes with variety of colours selection


White ☐

Black ☐

Grey ☐

Hot Dipped Galvanized ☐

MANAGED STAND POLE - LITE



Pole Shape		Section A	Section B	Total Height	Mounting Base
(S)	(R)				
	ML-30	2000mm	1000mm	3000mm	350mm x 350mm
	ML-40	3000mm	1000mm	4000mm	350mm x 350mm
	ML-50	4000mm	1000mm	5000mm	350mm x 350mm

* It comes with variety of colours selection

White ☐

Black ☐

Grey ☐

Hot Dipped Galvanized ☐